




XA9744582



International Atomic Energy Agency

INDC(NDS)-362

Distrib.: G + AT

**IN DC**

**INTERNATIONAL NUCLEAR DATA COMMITTEE**

# **Atlas of Neutron Capture Cross Sections**

Prepared by

**J. Kopecky**

JUKO Research  
Kalmanstraat 4  
1817 HX Alkmaar  
The Netherlands

Contributions by

**J.-Ch. Sublet, J.A. Simpson, R.A. Forrest and D. Nierop\***

UKAEA Fusion  
Culham  
Abingdon  
Oxfordshire OX14 3DB  
United Kingdom  
UKAEA/Euratom Fusion Association

\* Netherlands Energy Research Foundation ECN,  
P.O. Box 1, NL-1755 Z G, Petten, The Netherlands

April 1997

---

**IAEA NUCLEAR DATA SECTION, WAGRAMERSTRASSE 5, A-1400 VIENNA**

**VOL 28 № 20**

Reproduced by the IAEA in Austria  
April 1997

# Atlas of Neutron Capture Cross Sections

Prepared by

**J. Kopecky**

JUKO Research  
Kalmanstraat 4  
1817 HX Alkmaar  
The Netherlands

Contributions by

**J.-Ch. Sublet, J.A. Simpson, R.A. Forrest and D. Nierop\***

UKAEA Fusion  
Culham  
Abingdon  
Oxfordshire OX14 3DB  
United Kingdom  
UKAEA/Euratom Fusion Association

\* Netherlands Energy Research Foundation ECN,  
P.O. Box 1, NL-1755 Z G, Petten, The Netherlands

## Abstract

This report describes neutron capture cross sections in the range  $10^{-5}$  eV - 20 MeV as evaluated and compiled in recent activation libraries. The selected subset comprises the  $(n,\gamma)$  cross sections for a total of 739 targets for the elements H ( $Z=1$ ,  $A=1$ ) to Cm ( $Z=96$ ,  $A=248$ ) totalling 972 reactions. Plots of the point-wise data are shown and comparisons are made with the available experimental values at thermal energy, 30 keV and 14.5 MeV.

April 1997

## Table of Contents

<b>1 INTRODUCTION</b>	vii
<b>2 NGATLAS FILE OF (n, <math>\gamma</math>) REACTIONS</b>	viii
<b>2.1 Reaction nomenclature</b>	viii
<b>2.2 Summary of (n,<math>\gamma</math>) reaction types and data sources</b>	viii
<b>2.3 Experimental validation</b>	x
<b>2.4 Data availability</b>	xi
<b>3 REFERENCES</b>	xii
<b>Appendix A Validation plots</b>	xiii
<b>Appendix B Plots of NGATLAS cross sections</b>	xv

# 1 INTRODUCTION

This work has been initiated within the IAEA Research Co-ordination (RC) Programme on Measurement, Calculation and Evaluation of Photon Production Data. During the two RC Meetings (Bologna -11/1994 and Vienna - 5/1996) the participants acknowledged the high practical value of a comprehensive compilation of  $(n,\gamma)$  cross sections for a complete set of targets in the whole energy range and recommended it for publication. The best sources of such data can be found among the recent activation libraries for fusion applications, such as ADL-3, EAF-4.1, JENDL/A-3 and FENDL/A-2, because they contain the largest number of target materials.

This report gives a detailed description of the data base of neutron capture cross sections for neutron energies in the 0-20 MeV range selected for this compilation. The recently released European Activation File, EAF-4.1 [1], has been chosen as the main source of data presented in this atlas. Further, some improved and newly evaluated data have been included. This report presents a graphical description of the selected  $(n,\gamma)$  reactions including comparisons against available experimental data.

The Atlas of Neutron Capture Cross Sections (NGATLAS) contains cross sections data of neutron induced reactions for targets up to, and including, curium ( $Z=96$ ). It comprises 739 target isotopes with half-lives above 0.5 day. Cross sections to ground, first and second isomers are listed separately. This gives a total of 972 reaction channels, with data available in point-wise format. Energy dependent isomeric branching ratios are based on a combination of experimental information and data based on systematics at thermal and 14.5 MeV neutron energies.

During the creation of the NGATLAS several checks were made to monitor the quality of the selected data (from other libraries). In particular a large number of new evaluations have been performed in EAF-4.1 for target nuclides not considered in other libraries, such as radioactive targets. These procedures include:

- general accounting of the different reaction channels,
- cross section renormalisation to experiment ( $1/v$  region) or systematics (pre-equilibrium component around 14 MeV),
- energy dependent library to experimental (C/E) and library to systematics (C/S) comparisons [2],
- itemized parameter reporting for each reaction,
- visualisation of the data by plotting.

All procedures for monitoring, data evaluations and renormalizations are described in Refs. [1,3,10].

## 2 NGATLAS FILE OF ( $n, \gamma$ ) REACTIONS

### 2.1 Reaction nomenclature

A notation is adopted for describing reactions in this report, the format of which is best illustrated by taking an example. Consider the ( $n, \gamma$ ) reaction from a target of Ag (A = 108) which is initially in the first metastable state and leads to a final first metastable state. The MASGAM code has been used to evaluate the cross section. The title line contains all this information, and is written as;

AG\*108N, G\*      MASGAM; RN - ---/SYS

+--> indicates renormalisation  
+--> data origin  
+--> describes the FS state  
+--> describes the IS state

IS (Initial State) refers to the target nuclide state, and FS (Final State) describes the reaction product. Possible notations of the isomeric states are shown in Table 1.

**Table 1:** Possible notations of isomeric states.

Value (IS or FS)	NGATLAS notation	State
0	-	Ground state
1	*	First isomer
2	#	Second isomer

Next the data source is given, which in the above example is MASGAM. A complete list of the data origins used to build the NGATLAS file is given in Appendix B, which explains the nature of each source library or processing code that was used to calculate the cross section.

Finally, the flag RN displays information for experimental or systematic renormalisation at 14.5 MeV. These are shown as ; RN - XXX/YYY appended to the data source. The first item is used for the total cross-section, while the second applies to the isomeric branching. Values of EXP or SYS represent Experimental and Systematic renormalisation respectively.

### 2.2 Summary of ( $n, \gamma$ ) reaction types and data sources

It is useful to show how the ( $n, \gamma$ ) reactions can be divided into different categories, and a number of statistics are given in this section. Firstly, the final states of the ( $n, \gamma$ ) reactions can be split as shown in Table 2,

**Table 2:** Numbers of different final states in the NGATLAS file.

Reaction	FS=0	FS=1	FS=2	Total
(n, $\gamma$ )	738	216	18	972

with every target leading to an FS=0 state. Note that there are 739 targets in the EAF-4.1 library, however there is no (n, $\gamma$ ) reaction for H (A=3). Hence a total of 738 target isotopes in the library undergo (n, $\gamma$ ) reactions.

The (n, $\gamma$ ) cross-section data are from a range of sources, and the number of reactions from each source is shown by the following table. The entries up to the ADL-3 refer to evaluated libraries. The remainder were calculated and evaluated with model codes such as FISPRO, MASGAM, SIG-ECN and NGAMMA within the EAF programme. Details on these calculations, renormalisations, data corrections and generation of point-wise files can be found in Refs. [1,3].

**Table 3:** The number of capture reactions from each data source in the NGATLAS file. The source name refers to the library or processing code used to calculate the cross section, and a full description of each one can be found from Ref. [1].

(n, $\gamma$ ) Data Source	Number of Reactions
JEF-2.2	390
EFF-2.4	11
ENDF/B-VI	16
JENDL-3.1	38
JENDL-3.2	3
LANL	9
ADL-3	7
FISPRO	9
SIGECN-MASGAM	73
MASGAM	411
NGAMMA	1
SIG-ECN	1
ESTIMATE	3
<b>Total</b>	<b>972</b>

All renormalisations made by SYMPAL [4] for (n, $\gamma$ ) reactions concern isomeric branching ratio and are made according to systematics (the title line will therefore contain RN - --- /SYS). Detailed description of the adopted branching-ratio systematics can be found in Ref. [1]. These renormalised reactions are split between the different data sources as shown in Table 4,

**Table 4:** Data origins of the renormalised reactions.

Data Source	Number
JEF-2.2	203
ENDF/B-VI	6
JENDL-3.1	2
ADL-3	2
FISPRO	8
SIGECN-MASGAM	37
MASGAM	183
<b>Total</b>	<b>441</b>

and between the final states as shown in Table 5.

**Table 5:** Distribution of final states of the renormalised reactions.

State	Number
FS = 0	212
FS = 1	212
FS = 2	17
<b>Total</b>	<b>441</b>

Thus 212 targets (which initially had data for the total cross section) have been renormalised according to systematics into appropriate final state branches. Of these 17 lead to FS=0, FS=1 and FS=2 while 195 (= 212 - 17) produce FS=0 and FS=1 only.

### 2.3 Experimental validation

Experimental data at three distinct energies are particularly useful for the validation of data. Such comparisons are made at thermal energy, 30 keV and close to 14.5 MeV and are based on a compilation of Refs. [5-10]. The number of experimental values available are shown in the following table, together with the appropriate references.

**Table 6:** Number of experimental values available at specific energies with their references.

Energy	Number of experimental measurements	References
Thermal (0.0253 eV)	617	[5], [6], [7],[8]
30 keV	336	[9]
14.5 MeV	72	[10]
<b>Total</b>	<b>1025</b>	

The experimental data are used for validation purposes in the NGATLAS file by calculating the ratio of the cross section to the experimental value (the C/E value). An ideal C/E ratio would clearly be 1, but in practice there is a distribution of C/E about this value. The number of C/E ratios available in NGATLAS is shown in Table 7.

**Table 7:** Number of experimental values available for each final state. FS=99 indicates that the value is for the total cross section.

FS	Thermal	30keV	14.5MeV	Total
99	409	326	47	782
0	96	9	0	105
1	7	0	0	7
2	0	0	0	0
<b>Total</b>	<b>512</b>	<b>335</b>	<b>47</b>	<b>894</b>

A histogram may be formed from the distribution of C/E values, and plots at each energy for the  $(n,\gamma)$  reactions are shown in Appendix A. Note that the total number of reactions for which C/E ratios can be calculated is less than the number of experimental values available (by approximately 100 cross sections) due to a certain amount of repeated experimental information. Table 7 gives the number of experimental data points *used* for comparisons, whereas the Table 6 (giving the total numbers of experimental data) lists *all* data currently available.

The experimental data, adopted for validation in Appendix A, are compiled in a tabular form in Ref. [2]. These data are also plotted on the cross section graphs in Appendix B (using a diamond symbol) and are shown together with the available uncertainties. This allows comparison between the adopted data and experimental values to be made directly.

The graphs in Appendix B show close agreement between the experimental values and the point-wise data, with most C/E values found close to a value of 1. This confirms the high quality of the  $(n,\gamma)$  cross-section data available from the EAF-4.1 library.

## 2.4 Data availability

Cross section data in point-wise ENDF-5 format, with EAF extensions (see Ref. [1]), are available from the IAEA Nuclear Data Section. The data can also be retrieved online through the World Wide Web using

<http://www-nds.iaea.or.at/ngatlas/main.htm>

### 3 REFERENCES


- [1] J. Kopecky and D. Nierop, *The European Activation File EAF-4 Summary Documentation*, ECN-C--95-075, (ECN Report, Petten, The Netherlands, December 1995).
- [2] J. Kopecky, *Experimental Data Base compiled for Renormalisation and Validation of EAF-4.1 Cross sections*, 3rd Edition, EAF-DOC-008, January 1996, private communication.
- [3] J. Kopecky, M. G. Delfini, H. A. J. van der Kamp and D. Nierop, *Revision and Extensions of Neutron Capture Cross Sections in the European Activation File EAF-3*, ECN-C--92-051, (ECN Report, Petten, The Netherlands, July 1992).
- [4] J. A. Simpson, J-Ch. Sublet and D. Nierop, *SYMPAL User Guide*, UKAEA FUS 356, (UKAEA Report, Culham, United Kingdom, 1997).
- [5] S. F. Mughabghab, M. Divadeenam and N.E. Holden, *Neutron Cross Sections, Vol. 1 A,B: Neutron Resonance Parameters and Thermal Cross Sections*, (Academic Press, Orlando, Florida, 1981, 1983).
- [6] N. E. Holden, *Review of Thermal Neutron Cross Sections*, BNL-45255, (Report BNL, Brookhaven, USA, 1991).
- [7] F. W. Walker, J.R. Parrington and F. Feiner, *Nuclides and Isotopes*, (General Electric Company, 1989).
- [8] N. E. Holden, *Neutron Scattering and Absorption Properties (Revised 1993)*, BNL-49710, (Report BNL, Brookhaven, USA, 1994).
- [9] Z. Y. Bao and F. Kappeler, *Atomic Data and Nuclear Data Tables*, 36, 447, 1987.
- [10] M. Wagner and H. Warhanek, *Acta Physics Austriaca*, 52, 23, 1980.



## Appendix A Validation plots

This appendix shows the distribution of evaluation to experiment (C/E) ratios for the  $(n,\gamma)$  reactions of the NGATLAS file. The graphs show the number of C/E values in a particular range. C/E values are available for energies of:

- thermal (0.0253eV)
- 30 keV
- 14.5 MeV

Most C/E ratios lie close to the ideal value of 1, indicating the consistency between the point-wise data and the available experimental information.





## Appendix B: Plots of NGATLAS cross sections

This appendix shows graphs of each cross section as a function of incident neutron energy, one for each target isotope which undergoes a  $(n,\gamma)$  reaction. Thus 738 graphs are plotted. Data for excited final states of a particular target are shown on the same graph where appropriate. The plots also show the number of points in the point-wise data for the ground state product. An index of the reactions and their data origin is provided for quick reference.

Number	Target	Reaction	Origin	Page
1	H-1	N, G	JEF-2.2	1
2	H-2	N, G	JEF-2.2	2
3	HE-3	N, G	JENDL-3.2	3
4	LI-6	N, G	JEF-2.2	4
5	LI-7	N, G	EFF-2.4	5
6	BE-7	N, G	JEF-2.2	6
7	BE-9	N, G	EFF-2.4	7
8	BE-10	N, G	ESTIMATE, BE9 REVISED	8
9	B-10	N, G	JEF-2.2	9
10	B-11	N, G	JEF-2.2	10
11	C-12	N, G	ENDF/B-VI	11
12	C-13	N, G	SIG-ECN	12
13	C-14	N, G	ESTIMATE, C12 REVISED	13
14	N-14	N, G	JEF-2.2	14
15	N-15	N, G	JENDL-3.2	15
16	O-16	N, G	JENDL-3.2	16
17	O-17	N, G	ENDF/B-VI	17
18	O-18	N, G	ESTIMATE, O16	18
19	F-19	N, G	JEF-2.2	19
20	NE-20	N, G	SIGECN-MASGAM	20
21	NE-21	N, G	SIGECN-MASGAM	21
22	NE-22	N, G	SIGECN-MASGAM	22
23	NA-22	N, G	JEF-2.2	23
24	NA-23	N, G	JEF-2.2; RN - ---/SYS	24
25	NA-24	N, G	MASGAM	25
26	MG-24	N, G	JENDL-3.1	26
27	MG-25	N, G	JENDL-3.1	27
28	MG-26	N, G	JENDL-3.1	28
29	MG-28	N, G	MASGAM	29
30	AL-26	N, G	MASGAM	30
31	AL-27	N, G	JEF-2.2	31
32	SI-28	N, G	JENDL-3.1	32
33	SI-29	N, G	JENDL-3.1	33
34	SI-30	N, G	JENDL-3.1	34
35	SI-31	N, G	MASGAM	35
36	SI-32	N, G	MASGAM	36
37	P-31	N, G	JEF-2.2	37
38	P-32	N, G	MASGAM	38
39	P-33	N, G	MASGAM	39
40	S-32	N, G	JEF-2.2	40
41	S-33	N, G	JEF-2.2	41
42	S-34	N, G	JEF-2.2	42
43	S-35	N, G	MASGAM	43
44	S-36	N, G	JEF-2.2	44
45	CL-35	N, G	SIGECN-MASGAM	45
46	CL-36	N, G	MASGAM	46
47	CL-37	N, G	SIGECN-MASGAM; RN - ---/SYS	47
48	AR-36	N, G	JEF-2.2	48
49	AR-37	N, G	MASGAM	49
50	AR-38	N, G	JEF-2.2	50
51	AR-39	N, G	MASGAM	51
52	AR-40	N, G	JEF-2.2	52
53	AR-41	N, G	MASGAM	53
54	AR-42	N, G	MASGAM	54
55	K-39	N, G	JENDL-3.1	55
56	K-40	N, G	MASGAM	56
57	K-41	N, G	JENDL-3.1	57
58	K-42	N, G	MASGAM	58
59	K-43	N, G	MASGAM	59
60	CA-40	N, G	JENDL-3.1	60
61	CA-41	N, G	MASGAM	61
62	CA-42	N, G	JENDL-3.1	62
63	CA-43	N, G	JENDL-3.1	63
64	CA-44	N, G	JENDL-3.1	64
65	CA-45	N, G	MASGAM	65
66	CA-46	N, G	JENDL-3.1	66
67	CA-47	N, G	MASGAM	67
68	CA-48	N, G	JENDL-3.1	68
69	SC-44-IS=1	N, G	MASGAM; RN - ---/SYS	69
70	SC-45	N, G	ENDF/B-VI; RN - ---/SYS	70
71	SC-46	N, G	MASGAM	71
72	SC-47	N, G	MASGAM	72
73	SC-48	N, G	MASGAM	73
74	TI-44	N, G	MASGAM	74
75	TI-45	N, G	MASGAM	75
76	TI-46	N, G	JENDL-3.1	76
77	TI-47	N, G	JENDL-3.1	77
78	TI-48	N, G	JENDL-3.1	78
79	TI-49	N, G	JENDL-3.1	79
80	TI-50	N, G	JENDL-3.1	80
81	V-48	N, G	MASGAM	81
82	V-49	N, G	MASGAM	82
83	V-50	N, G	SIGECN-MASGAM	83
84	V-51	N, G	JENDL-3.1	84
85	CR-48	N, G	ADL-3	85

86	CR-50	N,G	EFF-2.4		
87	CR-51	N,G	MASGAM		Page 44
88	CR-52	N,G	EFF-2.4		Page 45
89	CR-53	N,G	EFF-2.4		Page 46
90	CR-54	N,G	EFF-2.4		Page 47
91	MN-52	N,G	MASGAM		Page 48
92	MN-53	N,G	MASGAM		Page 49
93	MN-54	N,G	MASGAM		Page 50
94	MN-55	N,G	JEF-2.2		Page 51
95	FE-54	N,G	ENDF/B-VI		Page 52
96	FE-55	N,G	MASGAM		Page 53
97	FE-56	N,G	ENDF/B-VI		Page 54
98	FE-57	N,G	ENDF/B-VI		Page 55
99	FE-58	N,G	ENDF/B-VI		Page 56
100	FE-59	N,G	MASGAM		Page 57
101	FE-60	N,G	MASGAM		Page 58
102	CO-55	N,G	MASGAM		Page 59
103	CO-56	N,G	MASGAM; RN - ---/SYS		Page 60
104	CO-57	N,G	JEF-2.2		Page 61
105	CO-58	N,G	JEF-2.2		Page 62
106	CO-58-IS=1	N,G	JEF-2.2; RN - ---/SYS		Page 63
107	CO-59	N,G	MASGAM		Page 64
108	CO-60	N,G	MASGAM		Page 65
109	NI-56	N,G	MASGAM		Page 66
110	NI-57	N,G	MASGAM		Page 67
111	NI-58	N,G	EFF-2.4		Page 68
112	NI-59	N,G	JEF-2.2		Page 69
113	NI-60	N,G	EFF-2.4		Page 70
114	NI-61	N,G	EFF-2.4		Page 71
115	NI-62	N,G	EFF-2.4		Page 72
116	NI-63	N,G	MASGAM		Page 73
117	NI-64	N,G	EFF-2.4		Page 74
118	NI-65	N,G	MASGAM		Page 75
119	CU-63	N,G	ENDF/B-VI		Page 76
120	CU-64	N,G	MASGAM		Page 77
121	CU-65	N,G	ENDF/B-VI		Page 78
122	CU-67	N,G	MASGAM; RN - ---/SYS		Page 79
123	ZN-64	N,G	JEF-2.2		Page 80
124	ZN-65	N,G	MASGAM		Page 81
125	ZN-66	N,G	SIGECN-MASGAM		Page 82
126	ZN-67	N,G	SIGECN-MASGAM		Page 83
127	ZN-68	N,G	SIGECN-MASGAM; RN - ---/SYS		Page 84
128	ZN-69-IS=1	N,G	MASGAM		Page 85
129	ZN-70	N,G	SIGECN-MASGAM; RN - ---/SYS		Page 86
130	ZN-72	N,G	MASGAM; RN - ---/SYS		Page 87
131	GA-67	N,G	MASGAM		Page 88
132	GA-69	N,G	SIGECN-MASGAM		Page 89
133	GA-71	N,G	SIGECN-MASGAM		Page 90
134	GA-72	N,G	MASGAM		Page 91
135	GE-68	N,G	MASGAM		Page 92
136	GE-69	N,G	MASGAM		Page 93
137	GE-70	N,G	SIGECN-MASGAM		Page 94
138	GE-71	N,G	MASGAM		Page 95
139	GE-72	N,G	JEF-2.2; RN - ---/SYS		Page 96
140	GE-73	N,G	JEF-2.2		Page 97
141	GE-74	N,G	JEF-2.2; RN - ---/SYS		Page 98
142	GE-76	N,G	JEF-2.2; RN - ---/SYS		Page 99
143	GE-77	N,G	MASGAM		
144	AS-71	N,G	MASGAM		
145	AS-72	N,G	MASGAM		
146	AS-73	N,G	MASGAM		
147	AS-74	N,G	MASGAM		
148	AS-75	N,G	JEF-2.2		
149	AS-76	N,G	MASGAM		
150	AS-77	N,G	MASGAM		
151	SE-72	N,G	MASGAM; RN - ---/SYS		
152	SE-73	N,G	MASGAM		
153	SE-74	N,G	JEF-2.2		
154	SE-75	N,G	MASGAM		
155	SE-76	N,G	JEF-2.2; RN - ---/SYS		
156	SE-77	N,G	JEF-2.2		
157	SE-78	N,G	JEF-2.2; RN - ---/SYS		
158	SE-79	N,G	MASGAM		
159	SE-80	N,G	JEF-2.2; RN - ---/SYS		
160	SE-82	N,G	JEF-2.2; RN - ---/SYS		
161	BR-76	N,G	MASGAM; RN - ---/SYS		
162	BR-77	N,G	MASGAM		
163	BR-79	N,G	JEF-2.2; RN - ---/SYS		
164	BR-81	N,G	JEF-2.2; RN - ---/SYS		
165	BR-82	N,G	MASGAM		
166	KR-76	N,G	ADL-3		
167	KR-78	N,G	JEF-2.2; RN - ---/SYS		
168	KR-79	N,G	MASGAM		
169	KR-80	N,G	JEF-2.2; RN - ---/SYS		
170	KR-81	N,G	MASGAM		
171	KR-82	N,G	JEF-2.2; RN - ---/SYS		
172	KR-83	N,G	JEF-2.2		
173	KR-84	N,G	JEF-2.2; RN - ---/SYS		
174	KR-85	N,G	JEF-2.2		
175	KR-86	N,G	JEF-2.2		
176	RB-83	N,G	MASGAM; RN - ---/SYS		
177	RB-84	N,G	MASGAM		
178	RB-85	N,G	JEF-2.2; RN - ---/SYS		
179	RB-86	N,G	JEF-2.2		
180	RB-87	N,G	JEF-2.2		
181	SR-82	N,G	MASGAM; RN - ---/SYS		
182	SR-83	N,G	MASGAM		
183	SR-84	N,G	JEF-2.2; RN - ---/SYS		
184	SR-85	N,G	MASGAM		
185	SR-86	N,G	JEF-2.2; RN - ---/SYS		
186	SR-87	N,G	JEF-2.2		
187	SR-88	N,G	JEF-2.2		
188	SR-89	N,G	JEF-2.2		
189	SR-90	N,G	JEF-2.2		
190	Y-86	N,G	MASGAM; RN - ---/SYS		
191	Y-87	N,G	MASGAM		
192	Y-88	N,G	MASGAM; RN - ---/SYS		
193	Y-89	N,G	JEF-2.2; RN - ---/SYS		
194	Y-90	N,G	JEF-2.2; RN - ---/SYS		
195	Y-91	N,G	JEF-2.2		
196	ZR-86	N,G	ADL-3; RN - ---/SYS		
197	ZR-88	N,G	MASGAM; RN - ---/SYS		


198	ZR-89	N,G	MASGAM; RN - ---/SYS	Page 100
199	ZR-90	N,G	JEF-2.2	Page 101
200	ZR-91	N,G	JEF-2.2	Page 102
201	ZR-92	N,G	JEF-2.2	Page 103
202	ZR-93	N,G	JEF-2.2	Page 104
203	ZR-94	N,G	JEF-2.2	Page 105
204	ZR-95	N,G	JEF-2.2	Page 106
205	ZR-96	N,G	JEF-2.2	Page 107
206	ZR-97	N,G	MASGAM	Page 108
207	NB-90	N,G	MASGAM; RN - ---/SYS	Page 109
208	NB-91	N,G	MASGAM; RN - ---/SYS	Page 110
209	NB-91-IS=1	N,G	MASGAM; RN - ---/SYS	Page 111
210	NB-92	N,G	MASGAM; RN - ---/SYS	Page 112
211	NB-92-IS=1	N,G	MASGAM; RN - ---/SYS	Page 113
212	NB-93	N,G	JEF-2.2; RN - ---/SYS	Page 114
213	NB-93-IS=1	N,G	ENDF/B-VI; RN - ---/SYS	Page 115
214	NB-94	N,G	JEF-2.2; RN - ---/SYS	Page 116
215	NB-95	N,G	JEF-2.2	Page 117
216	NB-95-IS=1	N,G	JEF-2.2	Page 118
217	NB-96	N,G	MASGAM; RN - ---/SYS	Page 119
218	MO-92	N,G	JEF-2.2; RN - ---/SYS	Page 120
219	MO-93	N,G	MASGAM	Page 121
220	MO-94	N,G	JEF-2.2	Page 122
221	MO-95	N,G	JEF-2.2	Page 123
222	MO-96	N,G	JEF-2.2	Page 124
223	MO-97	N,G	JEF-2.2	Page 125
224	MO-98	N,G	JEF-2.2	Page 126
225	MO-99	N,G	JEF-2.2	Page 127
226	MO-100	N,G	JEF-2.2	Page 128
227	TC-95	N,G	MASGAM; RN - ---/SYS	Page 129
228	TC-95-IS=1	N,G	MASGAM; RN - ---/SYS	Page 130
229	TC-96	N,G	MASGAM; RN - ---/SYS	Page 131
230	TC-97	N,G	MASGAM	Page 132
231	TC-97-IS=1	N,G	MASGAM	Page 133
232	TC-98	N,G	MASGAM; RN - ---/SYS	Page 134
233	TC-99	N,G	JEF-2.2	Page 135
234	RU-96	N,G	JEF-2.2	Page 136
235	RU-97	N,G	MASGAM	Page 137
236	RU-98	N,G	JEF-2.2	Page 138
237	RU-99	N,G	JEF-2.2	Page 139
238	RU-100	N,G	JEF-2.2	Page 140
239	RU-101	N,G	JEF-2.2	Page 141
240	RU-102	N,G	JEF-2.2	Page 142
241	RU-103	N,G	JEF-2.2	Page 143
242	RU-104	N,G	JEF-2.2	Page 144
243	RU-105	N,G	JEF-2.2	Page 145
244	RU-106	N,G	JEF-2.2	Page 146
245	RH-99	N,G	MASGAM; RN - ---/SYS	Page 147
246	RH-99-IS=1	N,G	MASGAM; RN - ---/SYS	Page 148
247	RH-100	N,G	MASGAM; RN - ---/SYS	Page 149
248	RH-101	N,G	MASGAM; RN - ---/SYS	Page 150
249	RH-101-IS=1	N,G	MASGAM; RN - ---/SYS	Page 151
250	RH-102	N,G	MASGAM; RN - ---/SYS	Page 152
251	RH-102-IS=1	N,G	MASGAM; RN - ---/SYS	Page 153
252	RH-103	N,G	JEF-2.2; RN - ---/SYS	Page 154
253	RH-105	N,G	JEF-2.2; RN - ---/SYS	Page 155
254	PD-100	N,G	MASGAM	
255	PD-101	N,G	MASGAM	
256	PD-102	N,G	JEF-2.2	
257	PD-103	N,G	MASGAM	
258	PD-104	N,G	JEF-2.2	
259	PD-105	N,G	JEF-2.2	
260	PD-106	N,G	JEF-2.2; RN - ---/SYS	
261	PD-107	N,G	JEF-2.2	
262	PD-108	N,G	JEF-2.2; RN - ---/SYS	
263	PD-109	N,G	MASGAM	
264	PD-110	N,G	JEF-2.2; RN - ---/SYS	
265	PD-112	N,G	MASGAM	
266	AG-105	N,G	MASGAM	
267	AG-106-IS=1	N,G	MASGAM; RN - ---/SYS	
268	AG-107	N,G	JEF-2.2; RN - ---/SYS	
269	AG-108-IS=1	N,G	MASGAM; RN - ---/SYS	
270	AG-109	N,G	JEF-2.2; RN - ---/SYS	
271	AG-110-IS=1	N,G	MASGAM; RN - ---/SYS	
272	AG-111	N,G	JEF-2.2	
273	CD-106	N,G	JEF-2.2	
274	CD-108	N,G	JENDL-3.1	
275	CD-109	N,G	MASGAM	
276	CD-110	N,G	JEF-2.2; RN - ---/SYS	
277	CD-111	N,G	JEF-2.2	
278	CD-112	N,G	JEF-2.2; RN - ---/SYS	
279	CD-113	N,G	JEF-2.2	
280	CD-113-IS=1	N,G	JEF-2.2; RN - ---/SYS	
281	CD-114	N,G	JEF-2.2; RN - ---/SYS	
282	CD-115	N,G	JEF-2.2	
283	CD-115-IS=1	N,G	JEF-2.2	
284	CD-116	N,G	JEF-2.2; RN - ---/SYS	
285	IN-111	N,G	MASGAM; RN - ---/SYS	
286	IN-113	N,G	JEF-2.2; RN - ---/SYS	
287	IN-114-IS=1	N,G	MASGAM; RN - ---/SYS	
288	IN-115	N,G	JEF-2.2; RN - ---/SYS	
289	SN-112	N,G	JEF-2.2; RN - ---/SYS	
290	SN-113	N,G	MASGAM	
291	SN-114	N,G	JEF-2.2	
292	SN-115	N,G	JEF-2.2	
293	SN-116	N,G	JEF-2.2; RN - ---/SYS	
294	SN-117	N,G	JEF-2.2	
295	SN-117-IS=1	N,G	JEF-2.2	
296	SN-118	N,G	JEF-2.2; RN - ---/SYS	
297	SN-119	N,G	JEF-2.2	
298	SN-119-IS=1	N,G	JEF-2.2	
299	SN-120	N,G	JEF-2.2; RN - ---/SYS	
300	SN-121	N,G	MASGAM	
301	SN-121-IS=1	N,G	MASGAM	
302	SN-122	N,G	JEF-2.2; RN - ---/SYS	
303	SN-123	N,G	JEF-2.2	
304	SN-124	N,G	JEF-2.2; RN - ---/SYS	
305	SN-125	N,G	JEF-2.2	
306	SN-126	N,G	JEF-2.2; RN - ---/SYS	
307	SB-119	N,G	MASGAM; RN - ---/SYS	
308	SB-120-IS=1	N,G	MASGAM	
309	SB-121	N,G	JEF-2.2; RN - ---/SYS	


310	SB-122	N, G	MASGAM	
311	SB-123	N, G	JEF-2.2; RN - ---/SYS	Page 156
312	SB-124	N, G	JEF-2.2;	Page 157
313	SB-125	N, G	JEF-2.2; RN - ---/SYS	Page 158
314	SB-126	N, G	JEF-2.2;	Page 159
315	SB-127	N, G	MASGAM; RN - ---/SYS	Page 160
316	TE-118	N, G	MASGAM; RN - ---/SYS	Page 161
317	TE-119	N, G	MASGAM	Page 162
318	TE-119-IS=1	N, G	MASGAM	Page 163
319	TE-120	N, G	JEF-2.2; RN - ---/SYS	Page 164
320	TE-121	N, G	MASGAM	Page 165
321	TE-121-IS=1	N, G	MASGAM	Page 166
322	TE-122	N, G	JEF-2.2; RN - ---/SYS	Page 167
323	TE-123	N, G	JEF-2.2;	Page 168
324	TE-123-IS=1	N, G	JEF-2.2;	Page 169
325	TE-124	N, G	JEF-2.2; RN - ---/SYS	Page 170
326	TE-125	N, G	JEF-2.2;	Page 171
327	TE-125-IS=1	N, G	JEF-2.2;	Page 172
328	TE-126	N, G	JEF-2.2; RN - ---/SYS	Page 173
329	TE-127	N, G	JEF-2.2;	Page 174
330	TE-127-IS=1	N, G	JEF-2.2;	Page 175
331	TE-128	N, G	JEF-2.2; RN - ---/SYS	Page 176
332	TE-129	N, G	JEF-2.2;	Page 177
333	TE-129-IS=1	N, G	JEF-2.2;	Page 178
334	TE-130	N, G	JEF-2.2; RN - ---/SYS	Page 179
335	TE-131-IS=1	N, G	JEF-2.2;	Page 180
336	TE-132	N, G	JEF-2.2; RN - ---/SYS	Page 181
337	I-123	N, G	MASGAM	Page 182
338	I-124	N, G	MASGAM	Page 183
339	I-125	N, G	MASGAM	Page 184
340	I-126	N, G	MASGAM	Page 185
341	I-127	N, G	JEF-2.2;	Page 186
342	I-128	N, G	MASGAM	Page 187
343	I-129	N, G	JEF-2.2; RN - ---/SYS	Page 188
344	I-130	N, G	JEF-2.2;	Page 189
345	I-131	N, G	JEF-2.2; RN - ---/SYS	Page 190
346	I-133	N, G	MASGAM; RN - ---/SYS	Page 191
347	XE-122	N, G	ADL-3;	Page 192
348	XE-124	N, G	JEF-2.2; RN - ---/SYS	Page 193
349	XE-125	N, G	MASGAM	Page 194
350	XE-126	N, G	JEF-2.2; RN - ---/SYS	Page 195
351	XE-127	N, G	MASGAM	Page 196
352	XE-128	N, G	JEF-2.2; RN - ---/SYS	Page 197
353	XE-129	N, G	JEF-2.2;	Page 198
354	XE-129-IS=1	N, G	JEF-2.2;	Page 199
355	XE-130	N, G	JEF-2.2; RN - ---/SYS	Page 200
356	XE-131	N, G	JEF-2.2;	Page 201
357	XE-131-IS=1	N, G	JEF-2.2;	Page 202
358	XE-132	N, G	JEF-2.2; RN - ---/SYS	Page 203
359	XE-133	N, G	JEF-2.2; RN - ---/SYS	Page 204
360	XE-133-IS=1	N, G	JEF-2.2; RN - ---/SYS	Page 205
361	XE-134	N, G	JEF-2.2; RN - ---/SYS	Page 206
362	XE-135	N, G	JEF-2.2;	Page 207
363	XE-136	N, G	MASGAM	Page 208
364	CS-129	N, G	MASGAM	Page 209
365	CS-131	N, G	MASGAM	Page 210
366	CS-132	N, G	MASGAM	Page 211
367	CS-133	N, G	JEF-2.2; RN - ---/SYS	
368	CS-134	N, G	JEF-2.2; RN - ---/SYS	
369	CS-135	N, G	JEF-2.2; RN - ---/SYS	
370	CS-136	N, G	JEF-2.2;	
371	CS-137	N, G	JEF-2.2; RN - ---/SYS	
372	BA-128	N, G	MASGAM; RN - ---/SYS	
373	BA-129	N, G	MASGAM	
374	BA-130	N, G	SIGECN-MASGAM; RN - ---/SYS	
375	BA-131	N, G	MASGAM	
376	BA-132	N, G	JENDL-3.1; RN - ---/SYS	
377	BA-133	N, G	MASGAM	
378	BA-133-IS=1	N, G	MASGAM	
379	BA-134	N, G	JEF-2.2; RN - ---/SYS	
380	BA-135	N, G	JEF-2.2; RN - ---/SYS	
381	BA-135-IS=1	N, G	JEF-2.2; RN - ---/SYS	
382	BA-136	N, G	JEF-2.2; RN - ---/SYS	
383	BA-137	N, G	JEF-2.2;	
384	BA-138	N, G	JEF-2.2;	
385	BA-139	N, G	MASGAM	
386	BA-140	N, G	JEF-2.2;	
387	LA-135	N, G	MASGAM; RN - ---/SYS	
388	LA-137	N, G	MASGAM	
389	LA-138	N, G	JENDL-3.1	
390	LA-139	N, G	JEF-2.2;	
391	LA-140	N, G	JEF-2.2;	
392	LA-141	N, G	MASGAM	
393	CE-134	N, G	MASGAM; RN - ---/SYS	
394	CE-135	N, G	MASGAM	
395	CE-136	N, G	SIGECN-MASGAM; RN - ---/SYS	
396	CE-137-IS=1	N, G	MASGAM	
397	CE-138	N, G	MASGAM; RN - ---/SYS	
398	CE-139	N, G	MASGAM	
399	CE-140	N, G	JEF-2.2;	
400	CS-141	N, G	JEF-2.2;	
401	CE-142	N, G	JEF-2.2;	
402	CE-143	N, G	JEF-2.2;	
403	CE-144	N, G	JEF-2.2;	
404	PR-141	N, G	JEF-2.2; RN - ---/SYS	
405	PR-142	N, G	JEF-2.2;	
406	PR-143	N, G	JEF-2.2; RN - ---/SYS	
407	ND-140	N, G	MASGAM; RN - ---/SYS	
408	ND-141	N, G	MASGAM	
409	ND-142	N, G	JEF-2.2;	
410	ND-143	N, G	JEF-2.2;	
411	ND-144	N, G	JEF-2.2;	
412	ND-145	N, G	JEF-2.2;	
413	ND-146	N, G	JEF-2.2;	
414	ND-147	N, G	JEF-2.2;	
415	ND-148	N, G	JEF-2.2;	
416	ND-149	N, G	MASGAM	
417	ND-150	N, G	JEF-2.2;	
418	PM-143	N, G	MASGAM	
419	PM-144	N, G	MASGAM	
420	PM-145	N, G	MASGAM	
421	PM-146	N, G	MASGAM	



422	PM-147	N, G	JEF-2.2; RN - ---/SYS	Page 212
423	PM-148	N, G	JEF-2.2	Page 213
424	PM-148-IS=1	N, G	JEF-2.2	Page 214
425	PM-149	N, G	JEF-2.2	Page 215
426	PM-150	N, G	MASGAM	Page 216
427	PM-151	N, G	JEF-2.2; RN - ---/SYS	Page 217
428	SM-144	N, G	JEF-2.2	Page 218
429	SM-145	N, G	MASGAM	Page 219
430	SM-146	N, G	MASGAM	Page 220
431	SM-147	N, G	JEF-2.2	Page 221
432	SM-148	N, G	JEF-2.2	Page 222
433	SM-149	N, G	JEF-2.2	Page 223
434	SM-150	N, G	JEF-2.2	Page 224
435	SM-151	N, G	JEF-2.2	Page 225
436	SM-152	N, G	JEF-2.2	Page 226
437	SM-153	N, G	JEF-2.2	Page 227
438	SM-154	N, G	JEF-2.2	Page 228
439	EU-145	N, G	MASGAM	Page 229
440	EU-146	N, G	MASGAM	Page 230
441	EU-147	N, G	MASGAM	Page 231
442	EU-148	N, G	MASGAM	Page 232
443	EU-149	N, G	MASGAM; RN - ---/SYS	Page 233
444	EU-150	N, G	MASGAM	Page 234
445	EU-150-IS=1	N, G	MASGAM	Page 235
446	EU-151	N, G	JEF-2.2; RN - ---/SYS	Page 236
447	EU-152	N, G	JEF-2.2	Page 237
448	EU-152-IS=1	N, G	JEF-2.2; RN - ---/SYS	Page 238
449	EU-153	N, G	JEF-2.2	Page 239
450	EU-154	N, G	JEF-2.2	Page 240
451	EU-155	N, G	JEF-2.2	Page 241
452	EU-156	N, G	JEF-2.2	Page 242
453	EU-157	N, G	JEF-2.2	Page 243
454	GD-146	N, G	MASGAM	Page 244
455	GD-147	N, G	MASGAM	Page 245
456	GD-148	N, G	MASGAM	Page 246
457	GD-149	N, G	MASGAM	Page 247
458	GD-150	N, G	MASGAM	Page 248
459	GD-151	N, G	MASGAM	Page 249
460	GD-152	N, G	JENDL-3.1	Page 250
461	GD-153	N, G	MASGAM	Page 251
462	GD-154	N, G	JEF-2.2	Page 252
463	GD-155	N, G	JEF-2.2	Page 253
464	GD-156	N, G	JEF-2.2	Page 254
465	GD-157	N, G	JEF-2.2	Page 255
466	GD-158	N, G	JEF-2.2	Page 256
467	GD-159	N, G	MASGAM	Page 257
468	GD-160	N, G	JEF-2.2	Page 258
469	TB-151	N, G	MASGAM; RN - ---/SYS	Page 259
470	TB-152	N, G	MASGAM	Page 260
471	TB-153	N, G	MASGAM; RN - ---/SYS	Page 261
472	TB-154	N, G	MASGAM	Page 262
473	TB-155	N, G	MASGAM; RN - ---/SYS	Page 263
474	TB-156	N, G	MASGAM	Page 264
475	TB-156-IS=2	N, G	MASGAM; RN - ---/SYS	Page 265
476	TB-157	N, G	MASGAM	Page 266
477	TB-158	N, G	MASGAM	Page 267
478	TB-159	N, G	JEF-2.2	
479	TB-160	N, G	JEF-2.2	
480	TB-161	N, G	MASGAM	
481	DY-154	N, G	MASGAM	
482	DY-155	N, G	MASGAM	
483	DY-156	N, G	SIGECN-MASGAM	
484	DY-157	N, G	MASGAM	
485	DY-158	N, G	SIGECN-MASGAM	
486	DY-159	N, G	MASGAM	
487	DY-160	N, G	JEF-2.2	
488	DY-161	N, G	JEF-2.2	
489	DY-162	N, G	JEF-2.2	
490	DY-163	N, G	JEF-2.2	
491	DY-164	N, G	JEF-2.2; RN - ---/SYS	
492	DY-165	N, G	MASGAM	
493	DY-166	N, G	MASGAM	
494	HO-163	N, G	MASGAM; RN - ---/SYS	
495	HO-164	N, G	ADL-3	
496	HO-164-IS=1	N, G	ADL-3	
497	HO-165	N, G	JEF-2.2; RN - ---/SYS	
498	HO-166	N, G	MASGAM	
499	HO-166-IS=1	N, G	MASGAM	
500	ER-161	N, G	MASGAM	
501	ER-162	N, G	SIGECN-MASGAM	
502	ER-164	N, G	SIGECN-MASGAM	
503	ER-165	N, G	MASGAM	
504	ER-166	N, G	JEF-2.2; RN - ---/SYS	
505	ER-167	N, G	JEF-2.2	
506	ER-168	N, G	SIGECN-MASGAM	
507	ER-169	N, G	MASGAM	
508	ER-170	N, G	SIGECN-MASGAM	
509	ER-171	N, G	MASGAM	
510	ER-172	N, G	MASGAM	
511	TM-165	N, G	MASGAM	
512	TM-166	N, G	MASGAM	
513	TM-167	N, G	MASGAM	
514	TM-168	N, G	MASGAM	
515	TM-169	N, G	SIGECN-MASGAM	
516	TM-170	N, G	SIGECN-MASGAM	
517	TM-171	N, G	SIGECN-MASGAM	
518	TM-172	N, G	MASGAM	
519	YB-166	N, G	MASGAM	
520	YB-168	N, G	SIGECN-MASGAM; RN - ---/SYS	
521	YB-169	N, G	SIGECN-MASGAM	
522	YB-170	N, G	SIGECN-MASGAM	
523	YB-171	N, G	SIGECN-MASGAM	
524	YB-172	N, G	SIGECN-MASGAM	
525	YB-173	N, G	SIGECN-MASGAM	
526	YB-174	N, G	SIGECN-MASGAM	
527	YB-175	N, G	MASGAM; RN - ---/SYS	
528	YB-176	N, G	SIGECN-MASGAM; RN - ---/SYS	
529	LU-169	N, G	MASGAM; RN - ---/SYS	
530	LU-170	N, G	MASGAM; RN - ---/SYS	
531	LU-171	N, G	MASGAM; RN - ---/SYS	
532	LU-172	N, G	MASGAM	
533	LU-173	N, G	MASGAM; RN - ---/SYS	


534	LU-174	N,G	MASGAM		
535	LU-174-IS=1	N,G	MASGAM		
536	LU-175	N,G	JEF 2.2; RN - ---/SYS		Page 268
537	LU-176	N,G	JEF 2.2; RN - ---/SYS		Page 269
538	LU-177	N,G	MASGAM; RN - ---/SYS		Page 270
539	LU-177-IS=1	N,G	MASGAM; RN - ---/SYS		Page 270
540	HF-170	N,G	MASGAM		
541	HF-171	N,G	MASGAM		Page 271
542	HF-172	N,G	MASGAM		
543	HF-173	N,G	MASGAM		Page 272
544	HF-174	N,G	JEF 2.2		
545	HF-175	N,G	MASGAM		Page 273
546	HF-176	N,G	JEF 2.2; RN - ---/SYS		Page 274
547	HF-177	N,G	LANL		
548	HF-178	N,G	JEF 2.2; RN - ---/SYS		Page 275
549	HF-178-IS=2	N,G	JEF 2.2; RN - ---/SYS		Page 275
550	HF-179	N,G	JEF 2.2; RN - ---/SYS		Page 276
551	HF-179-IS=2	N,G	JEF 2.2; RN - ---/SYS		Page 276
552	HF-180	N,G	JEF 2.2		
553	HF-180-IS=1	N,G	JEF 2.2		Page 277
554	HF-181	N,G	MASGAM; RN - ---/SYS		Page 278
555	HF-182	N,G	MASGAM		
556	TA-177	N,G	MASGAM; RN - ---/SYS		Page 279
557	TA-179	N,G	MASGAM; RN - ---/SYS		
558	TA-180	N,G	LANL		
559	TA-180-IS=1	N,G	MASGAM		Page 280
560	TA-181	N,G	JEF 2.2; RN - ---/SYS		
561	TA-182	N,G	JEF 2.2		Page 281
562	TA-183	N,G	MASGAM		
563	W-178	N,G	MASGAM; RN - ---/SYS		Page 282
564	W-180	N,G	SIGECN-MASGAM		
565	W-181	N,G	MASGAM		Page 283
566	W-182	N,G	JEF 2.2; RN - ---/SYS		
567	W-183	N,G	JEF 2.2		Page 284
568	W-184	N,G	LANL		
569	W-185	N,G	MASGAM		Page 285
570	W-186	N,G	JEF 2.2		
571	W-187	N,G	MASGAM		Page 286
572	W-188	N,G	MASGAM		
573	RE-181	N,G	MASGAM; RN - ---/SYS		Page 287
574	RE-182	N,G	MASGAM		
575	RE-183	N,G	MASGAM; RN - ---/SYS		Page 288
576	RE-184	N,G	MASGAM		
577	RE-184-IS=1	N,G	MASGAM		Page 289
578	RE-185	N,G	LANL		
579	RE-186	N,G	MASGAM		
580	RE-186-IS=1	N,G	MASGAM		Page 290
581	RE-187	N,G	JEF 2.2 (LANL for LFS=1)		Page 291
582	RE-188	N,G	MASGAM		
583	RE-189	N,G	MASGAM; RN - ---/SYS		Page 292
584	OS-182	N,G	MASGAM; RN - ---/SYS		Page 293
585	OS-183	N,G	MASGAM		
586	OS-184	N,G	MASGAM		
587	OS-185	N,G	MASGAM		Page 294
588	OS-186	N,G	SIGECN-MASGAM		
589	OS-187	N,G	SIGECN-MASGAM		Page 295
590	OS-188	N,G	FISPRO; RN - ---/SYS		
591	OS-189	N,G	FISPRO; RN - ---/SYS		Page 296
592	OS-190	N,G	FISPRO; RN - ---/SYS		
593	OS-191	N,G	MASGAM; RN - ---/SYS		Page 297
594	OS-191-IS=1	N,G	MASGAM; RN - ---/SYS		
595	OS-192	N,G	FISPRO		
596	OS-193	N,G	MASGAM		Page 298
597	OS-194	N,G	MASGAM		
598	IR-185	N,G	MASGAM; RN - ---/SYS		Page 299
599	IR-186	N,G	MASGAM		
600	IR-188	N,G	MASGAM		Page 300
601	IR-189	N,G	MASGAM; RN - ---/SYS		
602	IR-190	N,G	MASGAM; RN - ---/SYS		Page 301
603	IR-191	N,G	SIGECN-MASGAM; RN - ---/SYS		Page 302
604	IR-192	N,G	SIGECN-MASGAM; RN - ---/SYS		
605	IR-192-IS=2	N,G	SIGECN-MASGAM; RN - ---/SYS		Page 303
606	IR-193	N,G	SIGECN-MASGAM; RN - ---/SYS		
607	IR-193-IS=1	N,G	SIGECN-MASGAM; RN - ---/SYS		Page 304
608	IR-194	N,G	MASGAM; RN - ---/SYS		
609	IR-194-IS=1	N,G	MASGAM; RN - ---/SYS		Page 305
610	IR-196-IS=1	N,G	MASGAM; RN - ---/SYS		
611	PT-188	N,G	MASGAM		Page 306
612	PT-189	N,G	MASGAM		
613	PT-190	N,G	SIGECN-MASGAM		Page 307
614	PT-191	N,G	MASGAM		
615	PT-192	N,G	FISPRO; RN - ---/SYS		Page 308
616	PT-193	N,G	MASGAM		
617	PT-193-IS=1	N,G	MASGAM		Page 309
618	PT-194	N,G	SIGECN-MASGAM; RN - ---/SYS		
619	PT-195	N,G	SIGECN-MASGAM		Page 310
620	PT-195-IS=1	N,G	SIGECN-MASGAM		
621	PT-196	N,G	SIGECN-MASGAM; RN - ---/SYS		Page 311
622	PT-197	N,G	MASGAM		
623	PT-198	N,G	SIGECN-MASGAM; RN - ---/SYS		Page 312
624	PT-200	N,G	MASGAM		
625	AU-193	N,G	MASGAM; RN - ---/SYS		Page 313
626	AU-194	N,G	MASGAM; RN - ---/SYS		
627	AU-195	N,G	MASGAM; RN - ---/SYS		Page 314
628	AU-196	N,G	MASGAM; RN - ---/SYS		
629	AU-197	N,G	JEF 2.2; RN - ---/SYS		Page 315
630	AU-198	N,G	MASGAM		
631	AU-198-IS=1	N,G	MASGAM		Page 316
632	AU-199	N,G	MASGAM; RN - ---/SYS		
633	AU-200-IS=1	N,G	MASGAM		Page 317
634	HG-193	N,G	MASGAM		
635	HG-193-IS=1	N,G	MASGAM		Page 318
636	HG-194	N,G	MASGAM; RN - ---/SYS		
637	HG-195	N,G	MASGAM		Page 319
638	HG-195-IS=1	N,G	MASGAM		
639	HG-196	N,G	SIGECN-MASGAM; RN - ---/SYS		Page 320
640	HG-197	N,G	MASGAM		
641	HG-197-IS=1	N,G	MASGAM		Page 321
642	HG-198	N,G	SIGECN-MASGAM; RN - ---/SYS		
643	HG-199	N,G	SIGECN-MASGAM		Page 322
644	HG-200	N,G	SIGECN-MASGAM		
645	HG-201	N,G	SIGECN-MASGAM		Page 323


646	HG-202	N, G	SIGECN-MASGAM	
647	HG-203	N, G	MASGAM	Page 324
648	HG-204	N, G	MASGAM	Page 325
649	TL-200	N, G	MASGAM	Page 326
650	TL-201	N, G	MASGAM	Page 327
651	TL-202	N, G	MASGAM	Page 328
652	TL-203	N, G	SIGECN-MASGAM	
653	TL-204	N, G	MASGAM	Page 329
654	TL-205	N, G	SIGECN-MASGAM; RN - ---/SYS	
655	PB-200	N, G	MASGAM; RN - ---/SYS	Page 330
656	PB-202	N, G	MASGAM; RN - ---/SYS	Page 331
657	PB-203	N, G	MASGAM; RN - ---/SYS	Page 332
658	PB-204	N, G	JENDL-3.1	Page 333
659	PB-205	N, G	MASGAM	Page 334
660	PB-206	N, G	ENDF/B-VI; RN - ---/SYS	
661	PB-207	N, G	ENDF/B-VI	Page 335
662	PB-208	N, G	ENDF/B-VI	Page 336
663	PB-209	N, G	MASGAM	Page 337
664	PB-210	N, G	MASGAM	Page 338
665	BI-203	N, G	MASGAM	Page 339
666	BI-205	N, G	MASGAM	Page 340
667	BI-206	N, G	MASGAM; RN - ---/SYS	
668	BI-207	N, G	MASGAM; RN - ---/SYS	Page 341
669	BI-208	N, G	MASGAM	Page 342
670	BI-209	N, G	JEF-2.2; RN - ---/SYS	Page 343
671	BI-210	N, G	MASGAM	Page 344
672	BI-210-IS=1	N, G	MASGAM	Page 345
673	PO-206	N, G	MASGAM; RN - ---/SYS	
674	PO-207	N, G	MASGAM	Page 346
675	PO-208	N, G	MASGAM	Page 347
676	PO-209	N, G	MASGAM	Page 348
677	PO-210	N, G	MASGAM; RN - ---/SYS	
678	RN-211	N, G	NGAMMA	Page 349
679	RN-222	N, G	MASGAM	Page 350
680	RA-223	N, G	JENDL-3.1	Page 351
681	RA-224	N, G	JENDL-3.1	Page 352
682	RA-225	N, G	JENDL-3.1	Page 353
683	RA-226	N, G	JENDL-3.1	Page 354
684	RA-228	N, G	MASGAM	Page 355
685	AC-225	N, G	JENDL-3.1	Page 356
686	AC-226	N, G	JENDL-3.1	Page 357
687	AC-227	N, G	JENDL-3.1	Page 358
688	TH-227	N, G	JENDL-3.1	Page 359
689	TH-228	N, G	JENDL-3.1	Page 360
690	TH-229	N, G	JENDL-3.1	Page 361
691	TH-230	N, G	JEF-2.2	Page 362
692	TH-231	N, G	MASGAM	Page 363
693	TH-232	N, G	JEF-2.2	Page 364
694	TH-234	N, G	JENDL-3.1	Page 365
695	PA-228	N, G	MASGAM	Page 366
696	PA-229	N, G	MASGAM	Page 367
697	PA-230	N, G	MASGAM	Page 368
698	PA-231	N, G	JEF-2.2	Page 369
699	PA-232	N, G	JENDL-3.1	
700	PA-233	N, G	JEF-2.2; RN - ---/SYS	
701	U-230	N, G	MASGAM	
702	U-231	N, G	MASGAM	
703	U-232	N, G	JEF-2.2	
704	U-233	N, G	JEF-2.2	
705	U-234	N, G	JEF-2.2; RN - ---/SYS	
706	U-235	N, G	JEF-2.2	
707	U-236	N, G	JEF-2.2	
708	U-237	N, G	JEF-2.2	
709	U-238	N, G	JEF-2.2	
710	NP-234	N, G	MASGAM	
711	NP-235	N, G	MASGAM; RN - ---/SYS	
712	NP-236	N, G	MASGAM	
713	NP-237	N, G	JEF-2.2	
714	NP-238	N, G	JEF-2.2	
715	NP-239	N, G	JEF-2.2; RN - ---/SYS	
716	PU-236	N, G	JEF-2.2; RN - ---/SYS	
717	PU-237	N, G	JEF-2.2	
718	PU-238	N, G	JEF-2.2	
719	PU-239	N, G	JEF-2.2	
720	PU-240	N, G	JEF-2.2	
721	PU-241	N, G	JEF-2.2	
722	PU-242	N, G	JEF-2.2	
723	PU-244	N, G	JEF-2.2	
724	PU-246	N, G	MASGAM	
725	AM-240	N, G	MASGAM	
726	AM-241	N, G	JEF-2.2; RN - ---/SYS	
727	AM-242	N, G	JEF-2.2	
728	AM-242-IS=1	N, G	JEF-2.2	
729	AM-243	N, G	JEF-2.2; RN - ---/SYS	
730	CM-240	N, G	MASGAM	
731	CM-241	N, G	JEF-2.2	
732	CM-242	N, G	JEF-2.2	
733	CM-243	N, G	JEF-2.2	
734	CM-244	N, G	JEF-2.2	
735	CM-245	N, G	JEF-2.2	
736	CM-246	N, G	JEF-2.2	
737	CM-247	N, G	JEF-2.2	
738	CM-248	N, G	JEF-2.2	














































### SI-29 : (N,G)




531 pts





(N,G) JENDL-3.1




816 pts




(N,G) JENDL-3.1






P-33 : (N,G)


60 pts





S-32 : (N,G)



8037 pts






























































































































**CU-63 : (N,G)**


2013 pts






**CU-64 : (N,G)**


60 pts
































GE-72 : (N,G) 2346 pts





GE-73 : (N,G)  
3345 pts



















SE-72 : (N,G)






SE-73 : (N,G)















BR-79 : (N,G)

1e+04  
1e+03  
1e+02  
1e+01  
1e+00  
1e-01  
1e-02  
1e-03


3420 pts






BR-81 : (N,G)


1e+04  
1e+03  
1e+02  
1e+01  
1e+00  
1e-01  
1e-02  
1e-03  
1e-04


8562 pts























































Y-90 : (N,G)  
549 pts

















































MO-95 : (N,G)


















TC-97 -IS=1 : (N,G)




















RH-99 : (N,G)




RH-99 -IS=1 : (N,G)





### RH-100 : (N,G)




**RH-101 : (N,G)**





60 pts







RH-105 : (N,G)


618 ps









PD-102 : (N,G)  
987 pts
























### AG-110 -IS=1 : (N,G)





AG-111 : (N,G)


633 pts





























































### SB-119 : (N,G)





### SB-120 -IS=1 : (N,G)














SB-127 : (N,G)





TE-118 : (N,G)



















TE-125 -IS=1 : (N,G)




TE-126 : (N,G)







### TE-127 : (N,G)



TE-127 -IS=1 : (N,G)  
501 pts








### TE-131 -IS=1 : (N,G)

1e+03  
1e+02  
1e+01  
1e+00  
1e-01  
1e-02  
1e-03


60 pts





### TE-132 : (N,G)

1e-01  
1e-02  
1e-03  
1e-04  
1e-05  
1e-06  
1e-07


402 pts









I-124 : (N,G)



60 pts



































































BA-134 : (N,G)





BA-135 : (N,G)











































































PM-149 : (N,G)


570 pts






PM-150 : (N,G)


60 pts

















SM-153 : (N,G)



SM-154 : (N,G)




EU-145 : (N, $\bar{G}$ )





— (N, $\bar{G}$ ) MASGAM


EU-146 : (N, $\bar{G}$ )  
60 pts





— (N, $\bar{G}$ ) MASGAM

























































TB-156 -IS=2 : (N,G)



TB-157 : (N,G)








DY-154 : (N,G)




60 pts





(N,G) MASGAM

DY-155 : (N,G)

60 pts




(N,G) MASGAM





### DY-158 : (N,G)



579 pts





DY-158 : (N,G)  
60 Pts














### HO-164 : (N,G)



HO-164 -IS=1 : (N,G)


54 pts



(N,G) ADL-3


HO-165 : (N,G)

6564 pts




1e+04  
1e+03  
1e+02  
1e+01  
1e+00  
Cross-sections (Barns)  
1e-01  
1e-02  
1e-03  
1e-04


60 pts





HO-166 -IS=1 : (N,G)





ER-161 : (N,G)









ER-167 : (N, $\bar{G}$ )






ER-168 : (N, $\bar{G}$ )  
4257 pts






ER-171 : (N,G)








TM-167 : (N,G)




TM-168 : (N,G)














YB-169 : (N,G)



YB-170 : (N,G)









### YB-176 : (N,G)

1e+04  
1e+03  
1e+02  
1e+01  
1e+00  
1e-01  
1e-02  
1e-03  
1e-04  
1e-05


60 pts





YB-176 : (N,G)  
2166 pts





### LU-169 : (N,G)






### LU-170 : (N,G)











### LU-174 -IS=1 : (N,G)














### HF-173 : (N,G)





### HF-174 : (N,G)









### HF-178 -IS=2 : (N,G)




### HF-179 : (N,G)





HF-179 -IS=2 : (N,G)




HF-180 : (N,G)










### TA-179 : (N,G)






TA-180 : (N,G)  
1575 pts













































OS-185 : (N,G)



OS-186 : (N,G)

8643 pts



1e+05

1e+04

1e+03

1e+02

1e+01

1e+00

1e-01

1e-02

1e-03

1e-04

Cross-sections (Barns)

(N,G) SIGECN-MASGAM

1e-04  
10<sup>-5</sup> 10<sup>-4</sup> 10<sup>-3</sup> 10<sup>-2</sup> 10<sup>-1</sup> 10<sup>0</sup> 10<sup>1</sup> 10<sup>2</sup> 10<sup>3</sup> 10<sup>4</sup> 10<sup>5</sup> 10<sup>6</sup> 10<sup>7</sup>  
Energy (eV)

8643 pts

1e+05

1e+04

1e+03

1e+02

1e+01

1e+00


1e-01


1e-02

1e-03


Cross-sections (Barns)

1e-04  
10<sup>-5</sup> 10<sup>-4</sup> 10<sup>-3</sup> 10<sup>-2</sup> 10<sup>-1</sup> 10<sup>0</sup> 10<sup>1</sup> 10<sup>2</sup> 10<sup>3</sup> 10<sup>4</sup> 10<sup>5</sup> 10<sup>6</sup> 10<sup>7</sup>  
Energy (eV)








OS-191 : (N,G)





OS-191 -IS=1 : (N,G)











### IR-186 : (N,G)






### IR-188 : (N,G)
























PT-192 : (N,G)




PT-193 : (N,G)









PT-195 : (N,G)




PT-195 -IS=1 : (N,G)













### AU-195 : (N,G)




### AU-196 : (N,G)






AU-198 -IS=1 : (N,G)




AU-199 : (N,G)




AU-200 -IS=1 : (N,G)


60 pts






HG-193 : (N,G)


60 pts





















































BI-206 : (N,G)





BI-207 : (N,G)
















### PO-210 : (N,G)






### RN-211 : (N,G)


















### TH-228 : (N,G)





TH-228 : (N,G)  
2316 pts





TH-229 : (N,G)  
2316 pts















PA-233 : (N,G)


2433 pts





















### NP-235 : (N,G)




































**CM-242 : (N,<sub>1</sub>G)**  
2127 pts









**CM-247 : (N,G)**

2178 pts



**CM-248 : (N,G)**

7158 pts



---

Nuclear Data Section  
International Atomic Energy Agency  
P.O. Box 100  
A-1400 Vienna  
Austria

e-mail, INTERNET: SERVICES@IAEAND.IAEA.OR.AT  
fax: (+43-1) 20607  
cable: INATOM VIENNA  
telex: 1-12645 atom a  
telephone: (+43-1) 2060-21710

---

online: TELNET or FTP: IAEAND.IAEA.OR.AT  
username: IAEANDS for interactive Nuclear Data Information System  
username: ANONYMOUS for FTP file transfer  
For users with web-browsers: <http://www-nds.iaea.or.at>

---